

THEMATIC SERIES

The ripple effect: economic impacts of internal displacement

This thematic series focuses on measuring the effects of internal displacement on the economic potential of IDPs, host communities and societies as a whole



LOST PRODUCTION DUE TO INTERNAL DISPLACEMENT

The 2015 earthquake in Nepal

JUNE 2018

INTRODUCTION

The April 2015 earthquake that struck the Nepalese region of Gorkha killed nearly 9,000 people, injured more than 16,000 and destroyed hundreds of thousands of homes across the country. In addition to the human suffering it caused, the magnitude 7.8 quake had an immediate economic impact estimated at as much as half of Nepal's \$20 billion GDP.¹ The ensuing internal displacement had further consequences for the economy that until now have not been quantified.

IDMC launched a research project in 2017 to assess the economic impact of internal displacement in terms of livelihoods, housing and infrastructure, health, education, social networks, security and the environment.² As part of our research, we developed a new methodology to estimate lost production, which we have applied here to the Gorkha earthquake.

ESTIMATING THE IMPACT OF INTERNAL DISPLACEMENT ON PRODUCTION

Estimates of the economic impact of internal displacement are rare and tend to focus on the cost of providing emergency assistance and temporary shelter for internally displaced people (IDPs). This, however, is only the tip of the iceberg, and overlooks longer-term effects on the wider economy, including lost production.

Displacement disconnects people from their work for days, weeks and sometimes months or even years. Following the Gorkha earthquake, the UN warned that agricultural production would be significantly reduced,³ potentially leading to food insecurity, unemployment and reduced incomes.

One approach to estimate this lost production is to postulate that displaced workers are unable to pursue their economic activity for the duration of their displacement. Housing destruction levels can be used to assess the duration of displacement, which is otherwise rarely reported. Severely damaged homes will take longer to be repaired or rebuilt, consigning their inhabitants to longer periods of displacement. Lost production can then be calculated by combining the number of displaced workers, the duration of their displacement and an indicator such as GDP per capita.

THE DISABILITY-ADJUSTED LIFE YEAR APPROACH

This methodology builds on the disability-adjusted life year (DALY) approach used in public health to quantify the number of years lost because of diseases, disability or early death.⁴ One DALY corresponds to a lost year of healthy life, calculated as of the number of years lived with disability added to the number of years of life lost because of premature mortality.⁵

Such estimates tend to rely on historical data.

The DALY approach has been used to estimate the non-monetary impact of disasters in terms of life years lost because of an event,⁶ and to assess subsequent lost economic production.⁷ Until now, however, it had not been used to estimate the economic impacts of internal displacement.

DATA REQUIREMENTS

In order to apply this methodology to a real displacement situation, data is needed to estimate hazard, exposure and vulnerability characteristics.

Hazard data must be given in terms of an intensity measure that correlates well with the expected damage to residential buildings, such as ground motion for earthquakes, water depth for floods or gust speed for cyclonic winds. Such measures should ideally be accompanied by a dispersion measure to account for uncertainties.

Exposure databases are needed to identify the buildings subjected to damage and characterise them by construction materials, structural system, number of storeys, main use and number of inhabitants.

Vulnerability functions associate hazard intensities with expected damage and losses for each of the building classes in the exposure database. To assess internal displacement, they are based on thresholds which assume that once a certain hazard intensity has been reached, the buildings become uninhabitable and all of their occupants become displaced.

Figure 1 below shows an example of such a function for earthquakes, in which damage becomes such that all homes are made uninhabitable when peak ground acceleration in the affected area is around 0.2g.




Figure 1. Example of a displacement function for earthquakes

Hazard, exposure and vulnerability components are then combined to obtain mean damage ratios for all homes in the area under study.

ESTIMATING THE DURATION OF DISPLACEMENT

Mean damage ratios are used to calculate the time needed to clean, repair and rebuild residential units, considering not only actual physical damage but also other socioeconomic factors that come into play.⁸ Several models have been developed to link recovery times to hazard intensities or the degree of structural damage. This paper uses the Hazus multi-hazard model, developed by the US Federal Emergency Management Agency (FEMA), to estimate potential losses from earthquakes, floods and hurricanes.⁹

Single and multi-family dwellings are assigned different recovery times depending on the degree of structural damage, which Hazus classifies into different structural damage states (see table 1).

Table 1. Recovery time in years based on structural damage states

Building type	Structural damage state				
	None	Slight	Moderate	Extensive	Complete
Single family dwelling	0	0.014	0.33	1.0	2.0
Multi-family dwelling	0	0.028	0.33	1.33	2.67

An aggravating factor is added to the recovery time based on the mean damage ratio for the affected area as a whole. This accounts for the fact that recovery will take longer because of damage to other infrastructure, such as roads, and a sudden increase in demand for scarce construction materials and labour.

ASSESSING LOST PRODUCTION

The number of life years lost because of internal displacement is estimated by combining the number of residents and the recovery times for each unit in the area of analysis.

National or sub-national population distribution data is then used to calculate the number of working-age people among the displaced population. National legislation on working age should ideally be used for this calculation, but in its absence global standards such as the Organisation for Economic Co-operation and Development (OECD)'s reference value of 15 to 64 years old can be used.

The final part of the calculation combines the total number of life years lost because of internal displacement among the working population with an indicator of economic production, such as GDP per capita, to yield an overall estimate for lost production.

ASSUMPTIONS AND LIMITATIONS

The proposed model assumes that displacement is always internal, and that IDPs will return to their original homes once they have been repaired or rebuilt. Other cultural, social, economic and psychological factors that might speed up or delay their return are not considered. Only the occupants of residential buildings are considered as potential IDPs.

Estimated recovery times are based on the assumption that the economic and human resources needed for clearing, repairing and rebuilding residential buildings are readily available and that the recovery process starts immediately after the hazard has struck.

The methodology also adopts an egalitarian principle in that every worker is assumed to have the same economic or productive value, regardless of their socioeconomic characteristics, gender, education level or other factors.

THE CASE OF THE GORKHA EARTHQUAKE

Information on peak ground acceleration for the earthquake that hit Gorkha in April 2015 is available from the US Geological Survey. Figure 2 below shows the areas worst affected in orange.




Figure 2. Peak ground acceleration (cm/s²) for the April 2015 Gorkha earthquake¹⁰




Figure 3. Mean damage ratio distribution for the residential buildings in Nepal

The UN Office for Disaster Risk Reduction (UNISDR) provides exposure data for residential buildings in Nepal in the global exposure database that accompanies its Global Assessment Report 2015.¹¹ The database also provides regional structural vulnerability functions.

Hazard, exposure and vulnerability data are used to estimate the mean damage ratios for all residential buildings in the area of analysis, in this case at country level. Figure 3 shows the mean damage ratio distribution in Nepal.

Table 2 shows mean damage ratios disaggregated by building class. Those built of reinforced concrete, adobe, stone and bricks were worst affected.

Table 2. Mean damage ratio disaggregation by building class

Building class	Mean damage ratio
Adobe block	5.48%
Reinforced concrete	14.64%
Cut stone masonry	4.60%
Informal constructions (parts of slums/squatters)	0.49%
Unreinforced brick masonry	5.09%
Wood	0.51%

These results were obtained using the CAPRA-GIS tool, which performs a fully probabilistic and state-of-the-art damage and loss assessment.¹² This tool can be used for different types of natural hazard.

ESTIMATING RECOVERY TIMES AND LIFE YEARS LOST

UNISDR's global exposure database categorises all building classes in Nepal except reinforced concrete structures as single family dwellings. Based on the indicative recovery times for single and multi-family dwellings shown in table 1, recovery is estimated as taking a total of 1,106 aggregated years.

Applying an aggravating factor based on the extent of damage across Nepal, the estimated total number of years needed for the cleaning, repair and reconstruction of homes takes the figure to 1,216.

Further calculations based on the number of residents in each of the damaged buildings produce an estimate of 3.7 million people internally displaced by the Gorkha earthquake.

Geolocalised data on the number of residents for each building class and related recovery time was directly available for this calculation, which in turn yields an estimate of around 1.1 million life years lost because of internal displacement.

ESTIMATING LOST PRODUCTION

Working age is taken to be between 15 and 64 years old. National age distribution data for Nepal published by the UN Population Division is shown in table 3, with working age groups highlighted in blue.

Table 3. Age distribution of the population in Nepal¹³

Age range	Total	Share
0-4	2,807,000	9.85%
5-9	3,139,000	11.01%
10-14	3,367,000	11.81%
15-19	3,256,000	11.42%
20-24	2,709,000	9.50%
25-29	2,273,000	7.97%
30-34	1,940,000	6.80%
35-39	1,719,000	6.03%
40-44	1,520,000	5.33%
45-49	1,303,000	4.57%
50-54	1,117,000	3.92%
55-59	906,000	3.18%
60-64	874,000	3.07%
65-69	652,000	2.29%
70-74	457,000	1.60%
75-79	279,000	0.98%
80-84	132,000	0.46%
85-89	50,000	0.18%
90-94	10,000	0.04%
95-99	1,000	0.00%
100+	0	0.00%

This shows around 17,600,000 people (or 61.79 per cent of the country's population) as being of working age. Nepal's labour force participation rate is 86.2 per cent and among those in the labour force 96.9 per cent are employed. Applying these percentages to the 1.1 million life years lost produces a total of around 584,000.

The final stage of the calculation is to multiply this figure by the GDP per capita for Nepal, which the World Bank estimates to be \$695.¹⁴ This yields an estimate of lost production caused by internal displacement after the Gorkha earthquake of around \$406 million. This represents only the cost of IDPs being unable to carry out their usual economic activities once displaced. It does not include economic losses associated with structural damage.

FINAL REMARKS AND FUTURE RESEARCH

The methodology presented herein can be used retrospectively, but perhaps most importantly it can also be used prospectively to determine potential losses according to different scenarios. To do so, our global disaster displacement risk model can provide estimates of displacement exceedance rates at the country level, which are plots that relate the number of IDPs with different return periods.¹⁵

Quantitative estimates of the economic impact of internal displacement, whether retrospective or prospective, have the potential to help governments and humanitarian and development stakeholders address the phenomenon more effectively and limit its negative impacts on the lives of all those affected.

Assuming that necessary data are available, the methodology can be adapted to produce global, national or sub-national estimates. Most such data are currently only available for sudden-onset disasters, but the methodology can also be adapted to assess lost production in other displacement situations including conflict and slow-onset disasters such as drought.

It is also possible to use the approach to assess lost years of schooling and access to healthcare based on damage to these facilities. Such disruptions have immediate and longer-term consequences for the welfare and economic potential of IDPs and host communities, all of which add to the economic impact of internal displacement and should be quantified as such.

As part of our research project, we will continue to refine this methodology and apply it to a variety of displacement cases, producing quantitative and comparable data across countries and contexts to help informing national policies.

NOTES

1. UNISDR, 25 April 2015 Gorkha Earthquake Disaster Risk Reduction Situation Report, 2015, available at <https://goo.gl/qyH25E>
2. IDMC, Assessing the economic impacts of internal displacement: conceptual framework, 2018, available at: <https://goo.gl/eckKSGH>
3. United Nations, In Nepal, senior UN official warns 'clock is ticking' for earthquake relief efforts, 2015, available at <https://goo.gl/y9yub7>
4. Larson B.A., Calculating disability-adjusted life-years lost (DALYs) in discrete-time. Cost effectiveness and resource allocation, 2013, available at <https://goo.gl/u22mji>; WHO, WHO methods and data sources for global burden of disease estimates 2000-2011, 2013, available at <https://goo.gl/L49FSz>; Devleeschauwer B. et al., DALY calculation in practice: a stepwise approach, International journal of public health, 2014, available at <https://goo.gl/CzvJeY>
5. WHO, WHO methods and data sources for global burden of disease estimates 2000-2011, 2013, available at <https://goo.gl/L49FSz>
6. Noy I., A non-monetary global measure of the direct impact of natural disasters, 2014, available at <https://goo.gl/vHFmn4>
7. Salgado-Gálvez M.A., Probabilistic assessment of earthquake losses at different scales considering lost economic production due to premature loss of lives, 2016, available at <https://goo.gl/8WYVWBh>; Salgado-Gálvez M.A. et al., Probabilistic estimation of annual lost economic production due to premature deaths because of earthquakes, Human and Ecological Risk Assessment, 2016, available at <https://goo.gl/bjB9zY>
8. Aijazi O., Theorizing a social repair orientation to disaster recovery: developing insights for disaster recovery policy and programming, Global Social Welfare, 2014, available at <https://goo.gl/Gdatxu>; Cardona O.D., Estimación holística del riesgo sísmico utilizando sistemas dinámicos complejos, 2001, available at <https://goo.gl/yTDAEX>; Carreño M.L., Cardona O.D. and Barbat A.H., Urban seismic risk evaluation: a holistic approach, Natural Hazards, 2007, available at <https://goo.gl/rK6QJJ>; Mamula-Seadon L., Earthquake disaster recovery: leadership and governance, Encyclopedia of Earthquake Engineering, Springer, 2015; Shaw R., Disaster Recovery used or misused development opportunity, Springer, 2014.
9. FEMA (Federal Emergency Management Agency), HAZUS-MH 2.1 Earthquake Model Technical Manual, 2017, available at <https://goo.gl/k9PyLo>
10. USGS, M 7.8 - 36km E of Khudi, Nepal Shakemap, 2015, available at <https://goo.gl/9ZnXxi>
11. UNISDR, Global Exposure Database for the Global Assessment Report 2015, 2015, available at <https://goo.gl/WxeBQ1>
12. Cardona O.D. et al., CAPRA – Comprehensive Approach to Probabilistic Risk Assessment: International Initiative for Risk Management Effectiveness, 2012, available at <https://goo.gl/BWkrZA>; Ordaz M., Metodología para la evaluación del riesgo sísmico enfocada a la gerencia de seguros por terremoto, Universidad Nacional Autónoma de México, 2000.
13. United Nations Population Division, Estimates and projection, 2015, available at <https://goo.gl/Xp7AzM>
14. World Bank, World Development Indicators, available at <https://goo.gl/XkzFMX>
15. IDMC, Global Displacement Risk Model, available at <https://goo.gl/r3uKHV>

Cover photo: Nepalese women walk through the ruins leftover by the earthquake of April 2015. Credit: NORCAP/Per-Erik Stafanson, June 2015

Author
Mario A Salgado-Galvez
Consultant
mario.sal.gal@gmail.com

IDMC contact
Christelle Cazabat
Researcher
christelle.cazabat@idmc.ch

IDMC
NRC, 3 rue de Varembe
1202 Geneva, Switzerland
www.internal-displacement.org
+41 22 552 3600
info@idmc.ch